





















ЗАСТЕРЕЖЕ

Ці композитні панелі призначені для використання в інтер'єрі та зовнішній ре...

Розкрій панелей і монтаж повинні проводити з урахуванням вказівок, позначених на етикетках.

Враховувати температурні вимоги при проектуванні та монтажі.

Гарантією збігу кольору при використанні панелей є використання панелей одного виробника.

При транспортуванні та монтажі виробів уникати пошкодження гострими кутами.

Захищати плівку зняти після монтажу готового виробу не пізніше, ніж через 45 днів.

Щоб уникнути тиснення при обробці та монтажі виробів з практичної плівки ESOBOND.



Ліфт

1072 4072





ПРОХОДИ
НЕ МАЄ


















8 поверх





























STRAJ Steel Door Company

STRAJ Steel Door Company

STRAJ Steel Door Company

CBIX
HE BC

ATRUC

СВЯЖИ
НЕ ПОСТАВЛЯЙ

6 поверх







САНГАЗ

52
↓















Tyler

145
85
2
75
25















ECOBOND
BRUSHED

ECOBOND
BRUSHED

Ліфт























2643 BT-мод. Блок ①

2586 BT-мод. Блок ②



2586 BT-мод. Блок ②

2643 BT-мод. Блок ①








































32210

+20






















































































АМЕМ
ТП-ЭБ 1

124-0200
0-21-00000000

СТИ
НАЗНАЧЕН

















ALUPROF

ALUMINIUM SYSTEMS

© 1997 Aluprof Holding GmbH
Alle Rechte vorbehalten. Nachdruck, Vervielfältigung und Verbreitung, auch auszugsweise, ist ohne schriftliche Genehmigung der Aluprof Holding GmbH.






























Вихід









 TIRAS

ПОЖЕЖА

ПОЖЕЖА В ЗОНІ

1 2 3 4

НЕСПР. / ВИМКН. ЗОНИ

ЖИВЛ. НЕСПР. ЖИВЛ. СПОВ. ОПОВ. ЦП

ЛІНІЯ ВИМКН. ПЦ/С RS485 ПУІЗ АЗПЗ

ОПОВ. ЗВУК СКИДАННЯ ІНДИКАТОРИ

1 2 3

4 5 6

7 8 9

* 0 #

МЕРЕЖА 220В •

ВИХІД 12В •





МЕРЕЖА 220В •

ВИХІД 12В •





 **TIRAS**



БЖ1230



EX1230



УВАГА!
ВСІМ ЗАЛИШИТИ ПРИМІЩЕННЯ!
АВАРІЙНИЙ ВИТІК ГАЗУ.
ВИКЛИЧТЕ СЛУЖБУ 104.


















































STRAJ

Steel Door Company

STRAJ

Steel Door Company

Signature











ALUMINIUM COMPOSITE PANELS
ECOBOND[®]

ALUMINIUM COMPOSITE PANELS
ECOBOND[®]




- CAUTION!**
- These composite panels are recommended for indoor design and short-term outdoor advertising.
 - The panels should be seen and installed in accordance with the direction of the arrows marked on the protective film.
 - Take panel thermal expansion into account when designing and mounting.
 - The guarantee of color and texture matching is the use of panels from one batch.
 - Avoid damaging the surface of front side with sharp edges of the panels during transporting panels and finished products.
 - Remove the protective film after installation of the entire structure, no later than 45 days.
 - To avoid typical mistakes during processing and installation read the ECOBOND technical manual.

- FACTSHEET**
- ECOBOND is a registered trademark of the company.
 - The panels are made of aluminum and a composite material.
 - The panels are available in different colors and textures.
 - The panels are easy to install and maintain.
 - The panels are suitable for indoor and outdoor use.
 - The panels are fire resistant.
 - The panels are resistant to UV radiation.
 - The panels are resistant to acid and alkali.
 - The panels are resistant to impact.
 - The panels are resistant to scratches.
 - The panels are resistant to aging.







установка
↓
1











335
570





















STRAJ

Steel Door Company

STRAJ

Steel Door Company

Steel Door Company

STRAJ













































