









KOREKT














ΚΟΙΤΕΣ

0m<sup>2</sup> - 1  
0m<sup>2</sup> x 4 = 30 - 30 m/π

ΚΟΙΤΕΚΤΟΡ 4

Η





KOTEN

$10m^2 - 1$   
 $10m^2 \times 7 = 70 -$

36 25  
1120

20

10



0020264746\_02 - 03/22

0010023670

RAY PROTHERM 6 KE / 14 EU

CZ, SK, RO, GR, LT, LV, UA

6 kW / кВт

Технік макс = 85 °C

DN15 = 2 бар/бар (0,3 МПа/МПа)

3x230 / 400 V~(B~) 50Hz(Гц)

P = 5,9 kW / кВт

Q = 6,0 kW / кВт

IP40

DSN=0



**protherm**

Protherm Production s.r.o.  
Jurkovicova 45, 909 01 Skalica, Slovakia

R1

Elektrický vykurovací kotol /  
Elektrické topné zariadení /  
Electrical heating appliance /  
Електричний котел

Зроблено у Словаччині

10 / 2015



21230900100236703100005581N5













310M<sup>2</sup>



















5900L







SPECIAL  
ECONOMIZER

10

7

ГРЕБЕНКА











1  
нобелъ



**1**  
поверх





















099712345  
11111111

099712345

















ARISTON



ВИХІД



ВИХІД

