



















































ВИХІД



ВИХІД



1000000000



91	101	111	121	131	141
92	102	112	122	132	142
93	103	113	123	133	143
94	104	114	124	134	144
95	105	115	125	135	
96	106	116	126	136	
97	107	117	127	137	
98	108	118	128	138	
99	109	119	129	139	
100	110	120	130	140	







94

96

95

95



93

92



2 ПОБЕДЫ

2 ПОБЕДЫ





2 ПОВЕРХ















2 ПОВЕРХ





112

4 ПОВЕРХ

































130





8 ПОБЕД

8 ПОБЕД





























9

139-144

141

140



9 ПОВЕРХ

9 ПОВЕРХ













Small white rectangular device and silver keypad mounted on the wall.

Long, horizontal, cylindrical light fixture mounted on the wall.

145	155	165	175
146	156	166	176



GRAND
ЛИПИНИ

10	217-225
9	204-216
8	199-207
7	193-198
6	187-189
5	180
4	
3	
2	
1	





GR. NO

- 10
- 9
- 8
- 7
- 6
- 5





1 ПОВЕРХ
1 7044





146

147





1

145-1

146

147

























4
172-180

4

173















4

172-180

174











197





























193

194

6

190-195

7
199-207

7

207

7

















208-216ab



















217

218

9
7-225



220






220

221

3 ПОВЕРХ

3 ПОВЕРХ















































27















ГИБРИД
СТАНДАРТНОЕ ИСПОЛНЕНИЕ

Виды насосов	Параметры насосов
СЕРЬ	U
БРАС	U
U	F
U	E
F	C
E	H
OFF U	H
OFF F	Я
OFF E	Я

ЭЛЕКС
ENGINEERING

White electrical control unit with a digital display and buttons, connected to a power outlet and a black corrugated cable.

Vertical black cable assembly with blue plastic connectors and a blue valve at the bottom, connected to an orange horizontal pipe.

White electrical outlet with two sockets.

